

Vitacon

Vitamin B-Complex

COMPOSITION

Vitacon Syrup: Each 5 ml syrup contains Thiamine Hydrochloride (B₁) BP 5 mg, Riboflavin (B₂) BP 2 mg, Pyridoxine Hydrochloride (B₆) BP 2 mg and Nicotinamide BP 20 mg.

DESCRIPTION

Vitacon is a balanced combination of important members of vitamin B complex.

MODE OF ACTION

Vitacon contains vitamins that are chemical compounds, which are essential for health. They act primarily as regulators of metabolic processes and play a role in energy transformations, usually acting as co-enzymes in enzymatic systems.

INDICATIONS

Vitamin B-complex deficiency states as-

- Nutritional deficiency anaemias.
- During pregnancy and lactation.
- Pre- and post-operative conditions.
- During antibiotic therapy.
- Chronic constipation, stomatitis
- Liver disease.
- Convalescence.
- Hyperemesis gravidarum and patients on restricted diets.

DOSAGE & ADMINISTRATION

Adults & Children: 1-2 teaspoonfuls three times daily.

Infants: 1 teaspoonful daily, or as recommended by the physician.

SIDE EFFECTS

No significant side effects have been reported.

CONTRAINDICATIONS

Vitacon should not be taken in case of hypervitaminosis and hypersensitivity to any of the ingredients of Vitacon.

USE IN PREGNANCY AND LACTATION

Safety margin has been established in taking Vitacon during pregnancy and lactation.

PRECAUTIONS

Caution should be taken during concomitant use of vitamin B-complex and levodopa.

PHARMACEUTICAL PRECAUTION

Store in a cool and dry place, protected from light & moisture.

How Supplied

Vitacon 100 ml Syrup: Each carton contains a bottle having 100 ml syrup.

Vitacon 200 ml Syrup: Each carton contains a bottle having 200 ml syrup.

Manufactured by



MEDICON Pharmaceuticals Ltd.
Mirpur, Dhaka, Bangladesh.