

# Macrotyl

Tilmicosin phosphate 25%

**Veterinary use only**

## **Composition:**

Each ml oral solution contains Tilmicosin phosphate USP equivalent to Tilmicosin 250 mg.

## **Pharmacology:**

Macrotyl (Tilmicosin) is a broad-spectrum semi-synthetic bactericidal macrolide antibiotic synthesized from tylosin. It has an antibacterial spectrum that is predominantly effective against *Mycoplasma*, *Pasteurella* and *Haemophilus* spp. and various Gram-positive organisms such as *Corynebacterium* spp.

## **Indication:**

For the treatment of CRD (Chronic Respiratory Disease) and CCRD (Complex Chronic Respiratory Disease) caused by following microorganism which are sensitive to Tilmicosin.

Mycoplasmosis caused by *Mycoplasma gallisepticum*, *Mycoplasma synoviae* etc.

## **Dosage and Administration:**

Poultry: 1ml per 3 liters of drinking water for 3 days. Calves: Twice daily; 1ml per 20kg body wt. through artificial milk for 3—5 days.

**Use only advised by the registered veterinarian.**

## **Withdrawal period:**

For meat,

Broilers: 4 days.

Calves: 7 days.

## **Storage:**

Store in a cool and dry place (below 30° C), Protected from light and moisture. Keep out of reach of children.

## **How Supplied:**

Each bottle contains 100 ml and 500 ml oral solution.

*Manufactured by:*

Animal Health Division

**MEDICON Pharmaceuticals Ltd.**

Mirpur, Dhaka, Bangladesh